

Picture of the Month

Deborah A. Kroeker, MD; Jamie L. Hinkle, DO; Jordan T. Jones, DO; Deborah A. Scraftford, BS; Melanie K. Rohr, BS; Robert R. Wittler, MD

A PREVIOUSLY HEALTHY 19-YEAR-OLD WHITE woman was hospitalized with a 4-day history of a rash of unknown etiology. The rash began with an erythematous papule on her right cheek 4 days prior to admission that ulcerated and formed a black eschar. Three days prior to admission she developed a similar lesion on her nose. One day prior to hospitalization, she noted multiple genital lesions. She was hospitalized for diagnostic evaluation after developing a temperature, measured orally, of 100.0°F and additional lesions on the dorsal aspect of both hands. The lesions were mildly pruritic. Associated symptoms included a mild headache and a 1-day history of myalgias.

Author Affiliations: Department of Pediatrics, University of Kansas School of Medicine, Wichita.

On admission she appeared healthy, with normal vital signs. She had an enlarged submandibular lymph node and inguinal lymphadenopathy. A dermatologic examination revealed an approximately 1-cm in diameter central eschar surrounded by a raised, cream-colored ring with an erythematous base extending approximately 3 cm around the lesions located on her nose and right cheek (**Figure 1**). There were bilateral erythematous pustules on her hands. There were 2 crusted papules of the suprapubic area and 4 ulcerative lesions on her vulva (**Figure 2**).

See <http://www.archpediatrics.org> for the Picture of the Month Web Quiz: What is your diagnosis?



Figure 1. Photograph of the facial lesions at the time of hospital admission.



Figure 2. Photograph of vulvar lesions at the time of hospital admission.